

Aluminum Door And Window Corner Sealant Waterproof With PU Adhesive

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: XuanQing
- Model Number: Cotoo 1
- Minimum Order Quantity: 500PCS
- Price: Negotiable
- Packaging Details: Carton Box
- Delivery Time: 10-15 work days
- Payment Terms: T/T
- Supply Ability: 3000000pcs/mon



Product Specification

- Warranty: 1 Year
- After-sale Service: Online Technical Support, Onsite Training
- Project Solution Capability: Total Solution For Projects
- Application: Apartment, Door Window Manufacture
- Design Style: Traditional
- Type: Corner Angle Double Components Adhesives, Polyurethane Adhesive
- Product Name: Corner Angle Adhesive
- Usage: Construction
- Classification: Double Components Adhesives
- Function: Room Curing
- Morphology: Solvent Free
- Material: Polyurethane
- Characteristic: Waterproof
- Color: Light Yellow



Product Description

Aluminum Door And Window Corner Sealant Waterproof With PU Adhesive

Product Specifications

Warranty	1 Year
After-sale Service	Online technical support, Onsite Training
Project Solution Capability	Total solution for projects
Application	Apartment, Door Window Manufacture
Type	Corner Angle Double Components Adhesives, polyurethane adhesive
Material	Polyurethane
Characteristic	Waterproof
Color	Light Yellow

Product Description

The waterproof aluminum hardware door and window corner sealant with PU adhesive provides excellent protection against moisture damage. Specially formulated for aluminum hardware applications, it ensures a perfect fit and strong bonding with polyurethane adhesive technology.

Key Benefits:

- Superior waterproof protection for aluminum doors and windows
- High-strength PU adhesive for durable bonding
- Prevents mold and rot for long-lasting performance
- Easy application for professional results
- Solvent-free formula for safer use

Quality Test Reports

TEST REPORT

No. : GZMR230400940201

Date : Apr 21, 2023

Page: 4 of 4



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Universal Testing Machine	Z030	GZMR-PL-E140	2022-06-21	2023-06-20

***** End of report*****

TEST REPORT

No. : GZMR230400940201

Date : Apr 21, 2023

Page: 3 of 4

Test Item: Tensile Lap-Shear Strength

Sample Description: Adherend

Test Method: ISO 4587:2003

Test Condition:

Shear area: $25.2 \times 14.3 \text{ mm}^2$

Testing speed: 9.0MPa/min

Number of specimens tested: 5


Lab Environmental Condition: $23 \pm 2^\circ\text{C}$, $50 \pm 5\% \text{ RH}$

Test Result:

Test Item	Test Result
Tensile Lap-Shear Strength	19.6MPa

Note: Failure mode: Cohesion failure.

Test Photo:



TEST REPORT

No. : GZMR230400940201

Date : Apr 21, 2023

Page: 2 of 4

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Tensile Lap-Shear Strength	ISO 4587:2003	19.6MPa	/

Note:

Pass : Meet the requirements;

Fail : Does not meet the requirements;

/ : Not Apply to the judgment.



Test Report

No. SZXEC2202967905

Date: 06 Sep 2022

Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***




SGS-CI (Shenzhen) Co., Ltd.
Shenzhen Branch, China

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions-Terms-Documents.aspx>. Attention is drawn to the limitation of liability and indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of signing (inspection report & certificate), please contact us at telephone: +86-755-8332 1633, or e-mail: CR.Document@sgs.com
Room 101-102, Part 1, Floor 10, Part 1, Block 1, Shenzhen International Logistics Park, No. 408, Jiahua Road, Shenzhen Community, Lianhua Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国广东·深圳市福田区福田街道福安社区红岭南路408号10楼101-102 (邮编) 广东深圳 邮编 518129 电话 86-755-8332 1633 sgs.cn@sgs.com

Member of the SGS Group (SGS SA)

Phthalates Testing Flow Chart



S6S-Cellulose Acetate Technical Services Co., Ltd.
Shanghai Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed and available on request or accessible at <http://www.sga.com/Terms-and-Conditions.aspx> and for electronic formal documents, subject to Terms and Conditions for Electronic Documents at <http://www.sga.com/Terms-and-Conditions/Terms-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from their own responsibilities. This document is intended to be read in conjunction with the Company's Terms and Conditions, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offences may be prosecuted to the fullest extent of the law. Unless otherwise stated the



Attention: To check the authenticity of testing, inspection report & certificate, please contact us at telephone: 86-20-83207144.

or email: CN.Doorcheck@agogo.com
 Room 101, Part 14 Room 10, Part 12 Room 10, Part 13 Room 101-017, Part 1, Jiaogan Building, Jiaogan Park, No. 438, Jiaogan Road, Baotou City, Inner Mongolia, China, 014000
 中国内蒙古包头市九原区包钢九原区包钢路438号九原（集团）工业广场101-017、10101、240101、340101-501 邮编：014000
 1084-7100 25230000 www.agogo.com
www.agogo.com

Member of the SGS Group (SGS SA)

Pb/Cd/Hg/Cr⁶⁺/PBBs/PBDEs Testing Flow Chart

1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded).



SGS-CEL Engineering Technology Services Co., Ltd.
Beijing, China

[illegible]



Test Report

No. SZXEC2202967905

Date: 06 Sep 2022

Page 3 of 6

Test Item(s)	Limit	Unit	MDL	2022
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND
Hexabromodiphenyl ether	-	mg/kg	5	ND
Heptabromodiphenyl ether	-	mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	-	mg/kg	5	ND
Decabromodiphenyl ether	-	mg/kg	5	ND
Dibutyl Phthalate (DBP)	1000	mg/kg	50	ND
Butyl benzyl Phthalate (BBP)	1000	mg/kg	50	ND
Bis(2-ethylhexyl) Phthalate (DEHP)	1000	mg/kg	50	ND
Diisobutyl Phthalate (DIBP)	1000	mg/kg	50	ND

Remark1: The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value and only for reference.

Remark2: The limit(s) was/were submitted by applicant.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.



SGS China (Shenzhen) Co., Ltd.
Shenzhen Branch, China (Shenzhen)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions-Terms-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, in whole or in part, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: 86-755-8332 1644, or email: CS.DOCUMENT@sgs.com
Room 101-102, Part A, Room 101, Part C, Room 102, Part C, Logistics Center, Shenzhen Community Center, Longgang District, Shenzhen, Guangdong, China 518129 www.sgschina.com.cn
中国广东·深圳市福田区福田街道福安社区红岭南路40号101-102 (邮编) 中国广东·深圳 101-101, 101-102, 101-103 邮编: 518129 100-7558 22530000 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Packaging Information



Standard packaging includes 10 pairs per box. Custom packaging options available to meet specific customer requirements.

Manufacturer Profile

Foshan Xuanqing Door and Window Accessories Co., Ltd. is a specialized manufacturer of high-quality door and window accessories with over ten years of industry experience. We offer comprehensive solutions including:

- Custom aluminum corner code manufacturing
- Mold customization services
- Innovative door and window hardware solutions
- Patented products meeting national standards

Our products are recognized in both domestic and international markets, including Europe and America, for their quality and reliability.



SOME HONORS



Foshan Xuanqing Zhilian Technology Co., LTD



+8613827792344



fsxuanqing@gmail.com



aluminium-hardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town