

Stainless Steel Window Heavy Duty Friction Stay Hinge for Side Hung Casement

Our Product Introduction

for more products please visit us on aluminium-hardware.com

Basic Information

- Place of Origin: China
- Brand Name: XuanQing
- Model Number: SH-113
- Minimum Order Quantity: 500PCS
- Price: Negotiable
- Packaging Details: Carton Box
- Delivery Time: 10-15 work days
- Payment Terms: TT
- Supply Ability: 3000000pcs/mon



Product Specification

- Warranty: 3 Years
- After-sale Service: Online Technical Support, Onsite Training, Other
- Project Solution Capability: Graphic Design, Total Solution For Projects, Others
- Application: All The Scenarios
- Design Style: Modern
- Type: Friction Stay
- Highlight: Side Hung Casement Friction Stay Hinge, Casement Window Friction Hinge, Stainless Steel Friction Stay Hinge



More Images



Product Description

Stainless Steel Window Heavy Duty Friction Stay Hinge for Side Hung Casement

Product Specifications

Warranty	3 years
After-sale Service	Online technical support, Onsite Training, Other
Project Solution Capability	Graphic design, total solution for projects, Others
Application	All scenarios
Design Style	Modern
Type	Friction stay

Product Description

Heavy duty friction stay hinge for side hung casement windows, constructed from high-quality stainless steel (grades 304 and 201) for exceptional durability, corrosion resistance, and strength.

Key Features

- Precision-engineered track and arm design for smooth operation
- Adjustable tension settings for customized resistance
- Optional locking mechanisms for enhanced security
- Soft-close functionality available on select models
- Supports mold customization for specialized applications

Technical Specifications

Four-Link Suspension Brace Dimensions (mm)

Specification	A	B	E	F	G	H	I	J	K	L	M	N
10"	258	251		145	44	30	200	190	112	58	38	
12"	301	293	210	181	44	30	175	135	58	38		
14"	348	339	222	193	44	30	202	160	58	38		
16"	402	394	227	198	44	30	236	195	60	42		
18"	454	445	222	193	44	30	256	216	58	38		
20"	499	490	260	231	44	30	298	246	58	38		
22"	551	542	268	239	44	30	329	287	216	93	58	38
24"	598	589	274	245	44	30	373	331	249	135	60	42

Performance Specifications

Specification	Max Window Height (mm)	Max Window Width (mm)	Material Weight (kg)	Opening Angle
10"	900	400	20	±87°
12"	900	500	25	±87°
14"	1000	600	28	±87°
16"	1200	700	30	±87°
18"	1200	800	35	±87°
20"	1200	900	38	±87°
22"	1200	1000	42	±87°
24"	1200	1200	45	±87°

Product Image



Manufacturer Information



SOME HONORS



宣清智连科技
Xuanqing Zhilian Technology

Foshan Xuanqing Zhilian Technology Co., LTD

+8613827792344

fsxuanqing@gmail.com

aluminium-hardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town