100mm Length 6063T5 Aluminum Hinge For Flush Bathroom Room And Interior Doors

Basic Information

Place of Origin: China
Brand Name: XuanQing
Minimum Order Quantity: 500PCS
Price: Negotiable
Packaging Details: Carton Box
Delivery Time: 10-15 work days

Payment Terms: T1

• Supply Ability: 3000000pcs/mon



Product Specification

• Warranty: 3 Years

• After-sale Service: Online Technical Support, Onsite Training,

Onsite Inspection, Return And Replacement

• Project Solution Capability: Graphic Design, Total Solution For Projects

Application: Hotel
Design Style: Modern
Type: N
Product Name: Hinge

Material: 6063-T5 Primary Aluminum
 Color: Silver Or Customization Options

Applications: All Swing Door
Opening Angle: 0-180 Degree
Species: Door Hardware
Packing: Carton Box

Finish: Oxidation / Sandblasting



100mm Length 6063T5 Aluminum Hinge For Flush Bathroom and Interior Doors

The 100mm Length 6063T5 Aluminum Hidden Hinge is a premium solution for flush bathroom and interior doors. Engineered from high-grade 6063T5 aluminum alloy, this hinge combines durability with sleek functionality. Its concealed design provides a clean, modern appearance while ensuring smooth, quiet operation. Ideal for flush-mounted doors that align perfectly with door frames, this corrosion-resistant hinge delivers long-lasting performance for both residential and commercial applications.

Key Features

Material: High-quality 6063T5 aluminum alloy

Length: 100mm standard size

Design: Concealed installation for seamless aesthetics


Operation: Smooth, quiet door closing mechanism Durability: Corrosion-resistant and wear-resistant

Applications: Flush bathroom doors, interior doors, aluminum and wood doors

Technical Specifications

Attribute	Value
Material	6063T5 primary aluminum
Color	Silver or customization options
Opening Angle	0-180 degrees
Finish	Oxidation / Sandblasting
Packaging	Small hinges 300pcs/ctn, large hinges 200pcs/ctn
Warranty	3 years

Installation Guidelines



1. Upper hinge placement: 10cm from top of door

2. Middle hinge placement: 40cm from top of door

3. Lower hinge placement: 10cm from bottom of door

Documentation

Introduction-fsxuanqing.pdf Hinge Catalog.pdf

Packaging & Shipping



About Foshan Xuanqing

Foshan Xuanqing Door and Window Accessories Company specializes in high-quality hinge manufacturing with years of industry experience. Our state-of-the-art production facility and skilled team deliver precision-engineered hinges for residential and commercial applications, ensuring superior performance and customer satisfaction.







+8613827792344

fsxuanqing@gmail.com

aluminium-hardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town