

0-180 Degree Opening Aluminium Door Hinges Silver Or Customization Options

Our Product Introduction

for more products please visit us on aluminium-hardware.com


Basic Information

- Place of Origin: China
- Brand Name: XuanQing
- Minimum Order Quantity: 500PCS
- Price: Negotiable
- Packaging Details: Carton Box
- Delivery Time: 10-15 work days
- Payment Terms: TT
- Supply Ability: 3000000pcs/mon




Product Specification

- Warranty: 3 Years
- After-sale Service: Online Technical Support, Onsite Training, Onsite Inspection, Return And Replacement
- Project Solution Capability: Graphic Design, Total Solution For Projects
- Application: All Swing Door
- Design Style: Modern
- Type: N
- Product Name: Hinge
- Material: 6063-T5 Primary Aluminum
- Color: Silver Or Customization Options
- Applications: All Swing Door
- Opening Angle: 0-180 Degree
- Species: Door Hardware
- Packing: Carton Box
- Finish: Oxidation / Sandblasting



More Images



Product Description

0-180 Degree Opening Aluminium Door Hinges

Product Overview

Premium aluminium alloy door hinges available in silver or customizable finishes, designed for 0-180 degree opening range. These hinges combine durability with modern aesthetics, perfect for residential, commercial, and industrial applications.

Key Features

- Material: 6063-T5 primary aluminum for superior strength
- Wide 0-180 degree opening range for maximum flexibility
- Standard silver finish with customization options available
- Oxidation/sandblasting finish for enhanced durability
- 3-year warranty for peace of mind

Technical Specifications

Product Name	Hinge
Applications	Flush doors, bathroom doors, room doors, interior doors, aluminum doors
Material	6063-T5 primary aluminum
Color Options	Silver or customization available
Opening Angle	0-180 degrees
Packaging	Carton box (300pcs/ctn for small hinges, 200pcs/ctn for large hinges)
Finish	Oxidation / Sandblasting

Product Images



01

6063-T5 PRIMARY ALUMINUM
NO RUST AND NO FADING

02

SHAFT THICKNESS 10.0mm
HINGE PIECE THICKNESS 2.5MM



Stainless Steel Shaft
Optional iron core



03

HINGE WEIGHT 120G
QUALITY ASSURANCE



Installation Guide


1. Upper hinge installation: 10cm from top of door
2. Middle hinge installation: 40cm from top of door
3. Lower hinge installation: 10cm from bottom of door



Manufacturing & Quality



Production workshop



Advanced Equipment



Advanced Equipment



Excellent materials



Warehouse



Warehouse

Packaging & Shipping

Products are securely packed in carton boxes with protective materials to ensure safe delivery. Standard packaging includes 300 pieces per carton for small hinges and 200 pieces for large hinges, with customized packaging options available.

About Foshan Xuanqing

Foshan Xuanqing Door and Window Accessories Co., Ltd. specializes in high-quality hinge production with advanced manufacturing technology and strict quality control. Our professional team ensures precision-crafted hinges that meet diverse application requirements for both residential and commercial projects.



Foshan Xuanqing Zhilian Technology Co., LTD

+8613827792344

fsxuanqing@gmail.com

aluminium-hardware.com

Guangdong Foshan Nanhai No. 5-1, Songgang Lianbiao Industrial Zone, Shishan Town