45 Degree Connecting Sliding Window And Door Connector Aluminium Window Corner With Squre Hole

Basic Information

Place of Origin: China
Brand Name: XuanQing
Minimum Order Quantity: 500PCS
Price: Negotiable
Packaging Details: Carton Box
Delivery Time: 10-15 work days

Payment Terms: T/T

• Supply Ability: 3000000pcs/mon



Product Specification

• Warranty: 3 Years

• After-sale Service: Online Technical Support, Onsite Training,

Onsite Inspection, Free Spare Parts, Return

And Replacement

• Project Solution Capability: Graphic Design, Total Solution For Projects

Application: Hotel,home,office

Design Style: ModernType: N/M

Product Name: Aluminum Corner Joint
 Material: 6063-T5 Primary Aluminum

Color: Primary Colors

Usage Scenarios: Aluminum Profile Doors And Windows
 Function: Connecting The Corner Of The Door Or

Window Spelling

Feature: Durable And SolidPacking: Carton Box



More Images





45 Degree Connecting Sliding Window And Door Connector Aluminium Window Corner With Square Hole

Product Attributes

| Attribute | Value | | |
|--------------------------------|--|--|--|
| Warranty | 3 years | | |
| After-sale Service | Online technical support, Onsite Training, Onsite Inspection, Free spare parts, Return and Replacement | | |
| Project Solution Capability | Graphic design, total solution for projects | | |
| Application | Hotel, home, office | | |
| Design Style | Modern | | |
| Туре | N/M | | |
| Product name | Aluminum Corner Joint | | |
| Material | 6063-T5 primary aluminum | | |
| Color | Primary Colors | | |
| Usage Scenarios | Aluminum profile doors and windows | | |
| Function | Connecting the corner of the door or window spelling | | |
| Feature | Durable and solid | | |
| Packing | Carton Box | | |
| Surface treatment | Optional aluminum surface/surface sandblasting | | |

Product Description

This 45-degree connecting aluminium corner for sliding windows and doors features a square hole for easy attachment to other components. Constructed from high-quality 6063-T5 aluminium, it offers exceptional durability and corrosion resistance. The precise 45-degree angle ensures seamless, aesthetically pleasing connections for both residential and commercial window and door systems.

Key Features

Material: High-grade 6063-T5 aluminium alloy

Precision 45-degree angle connection

Square hole design for secure attachment

Corrosion-resistant and durable construction

Suitable for both residential and commercial applications

Modern design complements various architectural styles

Specifications

| Product name | Aluminum Corner Joint |
|--------------|--------------------------|
| Material | 6063-T5 primary aluminum |

| Usage Scenarios | Aluminum or UPVC casement, swing sliding windows/doors, French doors/windows, hinged doors/windows | |
|--------------------|--|--|
| Packing | Standard: 500pcs/carton or customized packaging available | |
| Services | OEM/ODM services, free samples available | |
| Payment Method | 30% T/T deposit, 70% balance before shipment | |
| Delivery time | Typically within 25 days | |

Product Parameters (Height in mm)

| 7-9.5 | 10-12.5 | 13-16.5 |
|---------|---------|------------------------|
| 17-19.5 | 20-22.5 | 23-25.5 |
| 26-27.5 | 43.5 | Custom sizes available |





DOWNLOAD: Introduction-fsxuanqing.pdf

Company Profile

Foshan Xuanqing Zhilian Technology Co., LTD specializes in manufacturing customized door and window accessories, including aluminium corner connectors. As an innovative technology enterprise, we integrate R&D, manufacturing, and sales to provide comprehensive solutions for the window and door industry.

Our product range includes various corner connectors, anti-fall devices, hinges, and curtain wall components. With over ten years of industry experience, we hold multiple patents and comply with national quality standards. Our products serve both domestic and international markets, including Europe and America.

Committed to quality and innovation, we offer mold customization and one-stop solutions, supported by our professional team and advanced manufacturing capabilities.







