

# V Shaped 6063T5 Aluminium Corner Joint Height 9.5mm For Window Frame Connecting

## **Basic Information**

- Place of Origin:
- XuanQing • Brand Name: 500PCS
- Minimum Order Quantity:
- Price: Negotiable Carton Box
- Packaging Details:
- Delivery Time: 10-15 work days • Payment Terms: ΤT

China

• Supply Ability: 3000000pcs/mon



<ul> <li>Warranty:</li> </ul>	3 Years	
After-sale Service:	Online Technical Support, Onsite Training, Onsite Inspection, Free Spare Parts, Return And Replacement	
<ul> <li>Project Solution Capability</li> </ul>	: Graphic Design, Total Solution For Projects	
<ul> <li>Application:</li> </ul>	Hotel,home,office	
<ul> <li>Design Style:</li> </ul>	Modern	
• Type:	N/M	
• Product Name:	Aluminum Corner Joint	
Material:	6063-T5 Primary Aluminum	
Color:	Primary Colors	
<ul> <li>Usage Scenarios:</li> </ul>	Aluminum Profile Doors And Windows	
• Function:	Connecting The Corner Of The Door Or Window Spelling	
• Feature:	Durable And Solid	
• Packing:	Carton Box	

# V Shaped 6063T5 Aluminium Corner Joint Height 9.5mm For Window Frame Connecting

#### **Product Specifications**

Attribute	Value
Warranty	3 years
After-sale Service	Online technical support, Onsite Training, Onsite Inspection, Free spare parts, Return and Replacement
Material	6063-T5 primary aluminum
Usage Scenarios	Aluminum profile doors and windows
Function	Connecting the corner of the door or window
Surface treatment	Optional aluminum surface/surface sandblasting
Packing	Carton Box

#### **Product Description**

The V Shaped 6063T5 Aluminium Corner Joint is a heavy-duty connector designed specifically for window frame applications. With a height of 9.5mm, this durable aluminum joint provides a solid connection solution for aluminum profile doors and windows.

#### **Key Features**

Constructed from high-quality 6063-T5 primary aluminum for durability

V-shaped design for optimal connection strength

Suitable for various window and door types including casement, sliding, and French doors

Available with optional surface treatments (aluminum surface or sandblasting)

Supports mold customization for specific project requirements

#### **Technical Specifications**

Product Name	Aluminum Corner Joint
Material	6063-T5 primary aluminum
Packing Options	Standard 500pcs/carton or customized as per customer requirements
Delivery Time	Typically within 25 days
Payment Terms	30% T/T deposit in advance, 70% T/T balance before shipment

### **Product Images**

25.85.	11,47	25.85	- 46, 97 [23, 85]	25.85	47.97
- 40.92 	R.S.	ALC: N		a Bar	a.u.
XQ-349	xQ-337	KQ-351	x0-333	х0-341	XQ-306
20-331 30-331	25. 64 15 15 15 15 15 15 15 15 15 15 15 15 15	25.85 10 10 10 10 10 10 10 10 10	10 - 56 - 56 - 56 - 56 - 56 - 56 - 56 - 5	35.1. 56 50 20-356	x0-360
23. 85 26 27 27 27 27 28 28 29 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	25.85 19 19 19 19 19 19 19 19 19 19 19 19 19	25.85 5 7 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8	35.1 N N N N X0-90	19 19 19 19 19 19 19 19	85.1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
25.85 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	25.85 5.70 x0-555	10-52 x0-52	61.97 60 80 80 80 80 80 80 80 80 80 80 80 80 80	33.1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	53. 57 25 20-505
53,97 5 5 5 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8	51,92 51,92 819 80-371	55.47 19 19 19 19 19 19 19 19 19 19 19 19 19	13.1 19 19 10-175	35.1 v 10 10 10 10	45, 97 19 19 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10
55 55 56 80 90 90 90 90 90 90 90 90 90 90 90 90 90	12 50 1. 8 10-139 X0-139	50-362	S IN KO-507	100.00 100.00 100.00 100.00 XQ-005	R2.81 R 21 XQ-274
25.1 27 00 XQ-335	50,97 50,97 80,97	10 10 10 10 10 10 10 10 10 10 10 10 10 1	98,97 100 100	70.97 20 20 20 20 20 20	R %2 X0-307
64,97 35,1 37,1 8 37,07 8	25.1 26 26 27 375 375	35.1 8 9 9 9 9 9 9	33.81 31 31 31 31 32 32 32 32 32 32 32 32 32 32 32 32 32	54.81 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	56, 81 56, 81 56, 81 57 50 50 50 50 50 50 50 50 50 50 50 50 50







#### **Additional Resources**

Download Product Introduction PDF

#### **Manufacturer Information**

Foshan Xuanqing Door and Window Accessories Co., Ltd. specializes in the research, development, and manufacturing of high-quality door and window accessories. With over ten years of industry experience, we offer comprehensive solutions including:

Custom mold development for specialized applications

Wide range of corner joint solutions (expansion injection, center column, pin injection, etc.)

Anti-fall devices, hinges, and curtain wall pendants

Patented products meeting national quality standards

Our products serve both domestic and international markets, including Europe and America, with a commitment to quality, innovation, and customer satisfaction.

