

MultiMount[™] Adjustable Aluminium Door Hinge | 10-Bearing Left Swing (4/5 Hole Compatible)

Basic Information

- Place of Origin:
- Brand Name:
- **500PCS** • Minimum Order Quantity:
- Price: Negotiable Carton Box
- Packaging Details:
- Delivery Time: 10-15 work days

China XUANQING

- Payment Terms: T/T3000000pcs/mon
- Supply Ability:



Product Specification

 Applications: 	All Swing Door
 Design Style: 	Modern
 Product Name: 	Hinge
 Material: 	6063-T5 Primary Aluminum
Warranty:	3 Years
After-sale Service:	Online Technical Support, Onsite Training, Onsite Inspection, Return And Replacement
Project Solution Capability:	Graphic Design, Total Solution For Projects
Color:	Silver Or Customization Options
 Opening Angle: 	0-180 Degree
 Species: 	Door Hardware
Packing:	Carton Box
• Finish:	Oxidation / Sandblasting
• Highlight:	Door Heavy Duty Aluminium Hinge, 10 Axes Heavy Duty Aluminium Hinge, Left Opening Aluminium Hinge



More Images



MultiMount[™] Adjustable Aluminium Door Hinge | 10-Bearing Left Swing (4/5 Hole Compatible)

Product Description

The MultiMount[™] Adjustable Aluminium Door Hinge is built for left-swing doors, combining durable aluminium with a 10bearing system for smooth, quiet operation. Its 4/5 hole compatibility fits standard and non-standard frames, while adjustable alignment ensures a perfect fit—ideal for quick installs or replacements.

Key Features


High-grade aluminium: lightweight, corrosion-resistant 10-bearing system: smooth, quiet performance Left-swing design: tailored for left-opening doors 4/5 hole compatible: fits standard/non-standard frames Adjustable alignment: easy fine-tuning for a tight fit

Technical Specifications

Applications	Flush doors, bathroom doors, room doors, interior doors, aluminum doors
Material	6063-T5 primary aluminum
Color Options	Silver or customized finishes
Packaging	300pcs/ctn (small hinges), 200pcs/ctn (large hinges) or customized packaging
Services	OEM/ODM available, free samples, technical support


Product Images







Installation Guide



1.Upper piece installation distance: Top of door 10cm

- 2.Middle piece installation distance: Top of door 40cm
- 3.Lower piece installation distance: Bottom of the door 10cm

Manufacturing Facility













Packaging & Shipping



About Our Company

Foshan Xuanqing Door and Window Accessories specializes in high-quality aluminum hardware production. Our state-of-the-art facility and skilled team ensure precision manufacturing of durable, corrosion-resistant hinges. We offer both standard products and customized solutions tailored to specific project requirements.



